


Obesity Trends* Among U.S. Adults BRFSS, 1985


(*BMI ≥ 30 , or ~ 30 lbs overweight for 5'4" woman)



Source: Mokdad A H, et al. *J Am Med Assoc* 1999;282:16, 2001;286:10.

Obesity Trends* Among U.S. Adults BRFSS, 1986


(*BMI ≥ 30 , or ~ 30 lbs overweight for 5'4" woman)



Source: Mokdad A H, et al. *J Am Med Assoc* 1999;282:16, 2001;286:10.

Obesity Trends* Among U.S. Adults BRFSS, 1987


(*BMI ≥ 30 , or ~ 30 lbs overweight for 5'4" woman)



Source: Mokdad A H, et al. *J Am Med Assoc* 1999;282:16, 2001;286:10.

Obesity Trends* Among U.S. Adults BRFSS, 1988

(*BMI ≥ 30 , or ~ 30 lbs overweight for 5'4" woman)




Source: Mokdad A H, et al. *J Am Med Assoc* 1999;282:16, 2001;286:10.



Obesity Trends* Among U.S. Adults BRFSS, 1989


(*BMI ≥ 30 , or ~ 30 lbs overweight for 5'4" woman)



Source: Mokdad A H, et al. *J Am Med Assoc* 1999;282:16, 2001;286:10.

Obesity Trends* Among U.S. Adults BRFSS, 1990

(*BMI ≥ 30 , or ~ 30 lbs overweight for 5'4" woman)




Source: Mokdad A H, et al. *J Am Med Assoc* 1999;282:16, 2001;286:10.



Obesity Trends* Among U.S. Adults BRFSS, 1991


(*BMI ≥ 30 , or ~ 30 lbs overweight for 5'4" woman)



Source: Mokdad A H, et al. *J Am Med Assoc* 1999;282:16, 2001;286:10.

Obesity Trends* Among U.S. Adults BRFSS, 1992


(*BMI ≥ 30 , or ~ 30 lbs overweight for 5'4" woman)



Source: Mokdad A H, et al. *J Am Med Assoc* 1999;282:16, 2001;286:10.

Obesity Trends* Among U.S. Adults BRFSS, 1993


(*BMI ≥ 30 , or ~ 30 lbs overweight for 5'4" woman)



Source: Mokdad A H, et al. *J Am Med Assoc* 1999;282:16, 2001;286:10.

Obesity Trends* Among U.S. Adults BRFSS, 1994


(*BMI ≥ 30 , or ~ 30 lbs overweight for 5'4" woman)



Source: Mokdad A H, et al. *J Am Med Assoc* 1999;282:16, 2001;286:10.

Obesity Trends* Among U.S. Adults BRFSS, 1995


(*BMI ≥ 30 , or ~ 30 lbs overweight for 5'4" woman)



Source: Mokdad A H, et al. *J Am Med Assoc* 1999;282:16, 2001;286:10.

Obesity Trends* Among U.S. Adults BRFSS, 1996

(*BMI ≥ 30 , or ~ 30 lbs overweight for 5'4" woman)




Source: Mokdad A H, et al. *J Am Med Assoc* 1999;282:16, 2001;286:10.



Obesity Trends* Among U.S. Adults BRFSS, 1997


(*BMI ≥ 30 , or ~ 30 lbs overweight for 5'4" woman)



Source: Mokdad A H, et al. *J Am Med Assoc* 1999;282:16, 2001;286:10.

Obesity Trends* Among U.S. Adults BRFSS, 1998

(*BMI ≥ 30 , or ~ 30 lbs overweight for 5'4" woman)



Legend:


- No Data
- <10%
- 10%-14%
- 15%-19%
- ≥20%

Source: Mokdad A H, et al. *J Am Med Assoc* 1999;282:16, 2001;286:10.



Obesity Trends* Among U.S. Adults BRFSS, 1999


(*BMI ≥ 30 , or ~ 30 lbs overweight for 5'4" woman)



Source: Mokdad A H, et al. *J Am Med Assoc* 1999;282:16, 2001;286:10.

Obesity Trends* Among U.S. Adults BRFSS, 2000

(*BMI ≥ 30 , or ~ 30 lbs overweight for 5'4" woman)




Source: Mokdad A H, et al. *J Am Med Assoc* 1999;282:16, 2001;286:10.

Obesity Trends* Among U.S. Adults

BRFSS, 2001

(*BMI ≥ 30 , or ~ 30 lbs overweight for 5'4" woman)



Source: Mokdad A H, et al. *J Am Med Assoc* 1999;282:16, 2001;286:10.

